

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	10/701760	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:41
L2	3	kenneth near1 widen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:41
L3	0	Huenter near Steven	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:42
L4	0	reference near value and laser near beam and gaussian near3 laser and compar \$5 with (beam and reference) near1 beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:42
L5	43	reference near value and laser near beam and gaussian near3 laser and (compar \$5 with (beam near/aser and reference near value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:42
L6	12	predetermin\$3 near value and laser near beam and gaussian near3 laser and (compar\$5 with (beam near laser and predetermin\$3 near value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:42

L7	0	predetermin\$3 near value and laser near beam and gaussian near3 laser and (compar\$5 with (beam near laser and (threshold predetermin\$3)) near value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:43
L8	13	predetermin\$3 near value and laser near beam and gaussian near3 laser and compar\$5 with ((beam near laser) and ((threshold predetermin\$3) near value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:45
L9	38	gaussian near3 laser and compar \$5 with ((beam near laser) and ((threshold predetermin\$3) near value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:45
L10	3	gaussian near3 laser and compar \$5 with ((measur \$3 near2 laser) and ((threshold predetermin\$3) near value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:46
L11	53	((detect\$3 measur \$3) with ((power quality) near3 (laser near beam))) and gaussian near2 laser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:47
L12	78172	compar\$3 with ((thresold predetermin\$3 reference) near1 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:48

L13	0	11 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:48
L14	2	(measur\$3 detect\$3) with (power near6 (lase r near beam)) and gaussian and compar\$3 with (differen\$3 near6 (laser near beams))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:49
L15	363	(measur\$3 detect\$3) with (power near6 (lase r near beam)) and gaussian and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:50
L16	2	15 and compar\$3 with (differen\$3 near6 (laser near beams))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:51
L17	89	15 and compar\$3 with (differen\$3) 3 and compar\$3 with (laser and (reference predetermin\$3 threshold))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:51
L18	89	15 and compar\$3 with (differen\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:51
L19	59	15 and compar\$3 with (laser and (reference predetermin\$3 threshold))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:51
L20	31	19 and compar\$3 with (differen\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:55

L21	2	20 and "356"15. ccls. 10 and "250"/ \$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:55
L22	0	20 and "356"15. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:55
L23	1	20 and "356"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:56
L24	5	20 and "250"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:56
L25	1	20 and "356"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 22:57
L26	0	(beam and quality and laser near beam and (first near measur\$3) and (second near measur\$3) and power and calclat \$3 and normaliz\$3 and compar\$3 and ((reference predetermin\$3 threshold) near value)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 23:02
L27	0	(beam and quality and laser near beam and (first near measur\$3) and (second near measur\$3) and power and calclat \$3 and normaliz\$3 and compar\$3 and ((reference predetermin\$3 threshold) )).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 23:02

L28	0	(beam and quality and laser near beam and (first near measur\$3) and (second near measur\$3) and calclat\$3 and normaliz\$3 and compar\$3 and ((reference predetermin\$3 threshold) )).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 23:02
L29	0	(beam and quality and laser near beam and (first near measur\$3) and (second near measur\$3) and calclat\$3 and compar\$3 and ((reference predetermin\$3 threshold) )).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 23:02
L30	0	10/701760	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/04 23:02

5/ 4/ 08 11:03:15 PM